

ONE-TIME COMPLIANCE REPORT FOR DENTAL DISCHARGERS to Comply with 40 CFR 441.50 Effluent Limitations Guidelines and Standards for the Dental Office Category

Instructions:

The following is the City of Albany's one-time compliance reporting form that contains the minimum information dental facilities must submit as required by the Effluent Limitations Guidelines and Standards for the Dental Office Category ("Dental Amalgam Rule").

General Information Name of facility: Physical address of the dental facility: State: City: Zip: Mailing address: State: City: Zip: Facility contact: Phone: Email: Names of owner(s): Names of operator(s) if different from owner(s):

		elect one of the following					
	This facility is a d	ental discharger subject to this rule (40 CFR Part 441)	and it places	or			
	removes dental a	malgam.	·				
	Complete section	s A, B, C, D, and E					
		ental discharger subject to this rule and (1) it does not	place dental				
) it does not remove amalgam except in limited emerge		ned.			
Ш	unanticipated circ			,			
	Complete section						
_		•					
ıraı	nster of ownershi	p (<u>§ 441.50(a)(4)</u>) (Select if applicable)					
	This facility is a d	ental discharger subject to this rule (40 CFR Part 441)	, and it has pre	eviously			
	submitted a one-	ime compliance report. This facility is submitting a nev	One Time				
	Compliance Repo	ort because of a transfer of ownership as required by §	441.50(a)(4).				
Sec	tion A						
Desc	ription of facility						
	al number of chairs						
Tota	al number of chairs	at which amalgam may be present in the					
resu	ılting wastewater (i	.e., chairs where amalgam may be placed or					
rem	oved):						
Des	cription of any ama	algam separator(s) or equivalent device(s) currently op	erated:				
	-						
YES	NO The facili	ty discharged amalgam process wastewater prior to Ju	ılv 14th 2017				
	any owne			under			
	arry own		aly 14til, 2017	under			
_	_	510111p.	aly 14th, 2017	under			
Sec	Section B						
	tion B			under			
Desc			ny 14411, 2017	under			
Desc	ription of amalga	m separator or equivalent device					
Desc	ription of amalga The dental facility	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10	08-2009)	under Chairs:			
Desc	ription of amalga The dental facility compliant amalga	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a	08-2009) amalgam				
Desc	ription of amalga The dental facility compliant amalga containing waste a	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam pla	08-2009) amalgam				
Desc	ription of amalga The dental facility compliant amalga containing waste a removal may occu	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam pla ir:	08-2009) amalgam acement or	Chairs:			
Desc	ription of amalga The dental facility compliant amalga containing waste a removal may occu The dental facility	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a	08-2009) amalgam acement or malgam				
Desc	ription of amalga The dental facility compliant amalga containing waste a removal may occu The dental facility separators that do	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (iii)	08-2009) amalgam acement or malgam at the	Chairs:			
Desc	The dental facility compliant amalgal containing waste a removal may occurred dental facility separators that do following number of	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a mot meet the requirements of § 441.30(a)(1)(i) and (iii) of chairs at which amalgam placement or removal may	08-2009) amalgam acement or malgam at the	Chairs:			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that defollowing number of understand that separators are separated.	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a set the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and	08-2009) amalgam acement or malgam at the occur: nalgam separa	Chairs: Chairs:			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that defollowing number of understand that separators are separated.	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a mot meet the requirements of § 441.30(a)(1)(i) and (iii) of chairs at which amalgam placement or removal may	08-2009) amalgam acement or malgam at the occur: nalgam separa	Chairs: Chairs:			
Desc	ription of amalga The dental facility compliant amalga containing waste a removal may occu The dental facility separators that do following number of I understand that se	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a set the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), afte	Chairs: Chairs:			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that do following number of understand that sequivalent devices useful life has end	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 44 ed, and no later than June 14, 2027, whichever is soo	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), after	Chairs: Chairs: tors (or er their			
Desc	ription of amalga The dental facility compliant amalga containing waste a removal may occu The dental facility separators that do following number of I understand that se	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a lat the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a lat most meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 441.30(a)(1) or § 441.30(a)(1)	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), afte	Chairs: Chairs: tors (or er their			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that do following number of understand that sequivalent devices useful life has end	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 44 ed, and no later than June 14, 2027, whichever is soo	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), after	Chairs: Chairs: tors (or er their			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that do following number of understand that sequivalent devices useful life has end	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 44 ed, and no later than June 14, 2027, whichever is soo	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), after	Chairs: Chairs: tors (or er their			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that do following number of understand that sequivalent devices useful life has end	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 44 ed, and no later than June 14, 2027, whichever is soo	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), after	Chairs: Chairs: tors (or er their			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that do following number of understand that sequivalent devices useful life has end	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 44 ed, and no later than June 14, 2027, whichever is soo	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), after	Chairs: Chairs: tors (or er their			
Desc	The dental facility compliant amalgal containing waste a removal may occur The dental facility separators that do following number of understand that sequivalent devices useful life has end	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 44 ed, and no later than June 14, 2027, whichever is soo	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), after	Chairs: Chairs: tors (or er their			
Desc	ription of amalga The dental facility compliant amalga containing waste a removal may occu The dental facility separators that do following number of I understand that s equivalent devices useful life has end	m separator or equivalent device has installed one or more ISO 11143 (or ANSI/ADA 10 m separators (or equivalent devices) that captures all a at the following number of chairs at which amalgam plant: installed prior to June 14, 2017 one or more existing a not meet the requirements of § 441.30(a)(1)(i) and (ii) of chairs at which amalgam placement or removal may such separators must be replaced with one or more and that meet the requirements of § 441.30(a)(1) or § 44 ed, and no later than June 14, 2027, whichever is soo	08-2009) amalgam acement or malgam at the occur: nalgam separa 1.30(a)(2), after	Chairs: Chairs: tors (or er their			

Make	Model	Year of installation	Average removal efficiency of equivalent device, as determined per § 441.30(a)(2)i- iii.

Section C

Design, operation and maintenance of amalgam separator/equivalent device I certify that the amalgam separator (or equivalent device) is designed and will YES be operated and maintained to meet the requirements in § 441.30 or § 441.40. A third-party service provider is under contract with this facility to ensure proper operation and maintenance in accordance with § 441.30 or § 441.40. Name of third-party service provider (e.g. Company Name) that maintains the YES amalgam separator or equivalent device (if applicable): If none, provide a description of the practices employed by the facility to ensure NO proper operation and maintenance in accordance with § 441.30 or § 441.40. **Describe practices:**

Section D

Best Management Practices (BMP) certifications

 management ractices (2mm) continuations
The above named dental discharger is implementing the following BMPs as specified in § 441.30(b) or § 441.40 and will continue to do so. Waste amalgam including, but not limited to, dental amalgam from chair-side traps, screens, vacuum pump filters, dental tools, cuspidors, or collection devices, must not be discharged to a publicly owned treatment works (e.g., municipal sewage system). Dental unit water lines, chair-side traps, and vacuum lines that discharge amalgam process wastewater to a publicly owned treatment works (e.g., municipal sewage system) must not be cleaned with oxidizing or acidic cleaners, including but not limited to bleach, chlorine, iodine and peroxide that have a pH lower than 6 or greater than 8 (i.e. cleaners that may increase the dissolution of mercury).
I certify that the line cleaners have a pH range of 6.0 – 8.0.

Section E

Retention Period; per § 441.50(a)(5) & 441.50(b)

One Time Compliance Report: As long as a Dental facility subject to this part is in operation, or until ownership is transferred, the Dental facility or an agent or representative of the dental facility must maintain this One Time Compliance Report and make it available for inspection in either physical or electronic form.

Other Records: The Dental facility subject to this rule must maintain documents and make available for inspection in either physical or electronic form for a minimum of three years.

- 1. Documents related to inspection of amalgam separators and follow-up actions;
- 2. Documentation of amalgam retaining container or replacement, including date, if applicable;
- 3. Documents related to dental amalgam pickup or shipment for proper disposal by a licensed storage or disposal facility;
- 4. Documentation of any repair or replacement of an amalgam separator or device;
- Manufacturer's Current operating manual for the device in place.

Section F

Certification Statement

Per § 441.50(a)(2), the One-Time Compliance Report must be signed and certified by a responsible corporate officer, a general partner or proprietor if the dental facility is a partnership or sole proprietorship, or a duly authorized representative in accordance with the requirements of § 403.12(l).

"I am a responsible corporate officer, a general partner or proprietor (if the facility is a partnership or sole proprietorship), or a duly authorized representative in accordance with the requirements of § 403.12(I) of the above named dental facility, and certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Authorized Representative name (print name):				
Phone:		Email:		
Au	thorized Representative signature		Date	